


GODE WIND 02 (GOW02-Z01)

NORMALLY UNATTENDED INSTALLATION (NUI)
GODEWIND 02 GMBH

| | | | |
|---|--|---|--|
| N 54° 03,34 | | E 007° 02,30' | |
| BREMEN INFORMATION 128,525 MHz | | DONG OPS 131,405 MHz | |
| OSS / HLO ON REQUEST FROM DONG OPS | | | |
| WEATHER INFORMATION (7x) 131,415 MHz | | LIGHTING (3x / 4x / 5x) 131,415 MHz | |
| HELIDECK HEIGHT 137 FT MSL | | MTOW 13 t | |
| | | D-VALUE 23 m | |
| LANDING NET N/A | | HAPI U/S UNTIL FURTHER NOTICE | |
| FINAL APPROACH / INITIAL DEPARTURE DIRECTIONS 045° / 225° VAR 1,3°E (2015) | | | |
| HIGHEST OBSTACLE ON INSTALLATION 168 FT MSL (ANTENNA MAST) | | HIGHEST OBSTACLE IN THE VICINITY 617 FT MSL (WTG) | |
| REFUELLING FACILITY N/A | | GROUND POWER UNIT N/A | |



GODE WIND 02 (GOW02-Z01)

NORMALLY UNATTENDED INSTALLATION (NUI)
GODEWIND 02 GMBH

| | | | |
|---|--|--|--|
| N 54° 03,34 | | E 007° 02,30' | |
| BREMEN INFORMATION 128,525 MHz | | DONG OPS 131,405 MHz | |
| OSS / HLO ON REQUEST FROM DONG OPS | | | |
| WEATHER INFORMATION (7x) 131,415 MHz | | LIGHTING (3x / 4x / 5x) 131,415 MHz | |
| HELIDECK HEIGHT 137 FT MSL | | MTOW 13 t | |
| D-VALUE 23 m | | | |
| LANDING NET N/A | | HAPI U/S UNTIL FURTHER NOTICE | |
| FINAL APPROACH / INITIAL DEPARTURE DIRECTIONS 045° / 225° VAR 1,3°E (2015) | | | |
| HIGHEST OBSTACLE ON INSTALLATION 168 FT MSL (ANTENNA MAST) | | HIGHEST OBSTACLE IN THE VICINITY 617 FT MSL (WTG) | |
| REFUELLING FACILITY N/A | | GROUND POWER UNIT N/A | |
| NON COMPLIANCES <ul style="list-style-type: none"> • NIL | | LIMITATIONS <ul style="list-style-type: none"> • TEMPORARILY VFR DAY ONLY | |
| REMARKS <ul style="list-style-type: none"> • BE AWARE OF SURROUNDING WTG IN CLOSE PROXIMITY TO HELIDECK • ANTENNA MAST SOUTH OF HELIDECK TEMPORARILY NOT PROVIDED WITH OBSTACLE MARKING | | | |

GODE WIND 02 (GOW02-Z01)

NORMALLY UNATTENDED INSTALLATION (NUI)
GODEWIND 02 GMBH

| | | | |
|---|--|---|--|
| N 54° 03,34 | | E 007° 02,30' | |
| BREMEN INFORMATION 128,525 MHz | | DONG OPS 131,405 MHz | |
| OSS / HLO ON REQUEST FROM DONG OPS | | | |
| WEATHER INFORMATION (7x) 131,415 MHz | | LIGHTING (3x / 4x / 5x) 131,415 MHz | |
| HELIDECK HEIGHT 137 FT MSL | | MTOW 13 t | |
| D-VALUE 23 m | | | |
| LANDING NET N/A | | HAPI U/S UNTIL FURTHER NOTICE | |
| FINAL APPROACH / INITIAL DEPARTURE DIRECTIONS 045° / 225° VAR 1,3°E (2015) | | | |
| HIGHEST OBSTACLE ON INSTALLATION 168 FT MSL (ANTENNA MAST) | | HIGHEST OBSTACLE IN THE VICINITY 617 FT MSL (WTG) | |
| REFUELLING FACILITY N/A | | GROUND POWER UNIT N/A | |
| INSTALLATION PROFILE VIEW | | HELIDECK TOP VIEW | |
| | | | |

GODE WIND 02 (GOW02-Z01)

NORMALLY UNATTENDED INSTALLATION (NUI)
GODEWIND 02 GMBH

| | | | |
|---|--|---|--|
| N 54° 03,34 | | E 007° 02,30' | |
| BREMEN INFORMATION 128,525 MHz | | DONG OPS 131,405 MHz | |
| OSS / HLO ON REQUEST FROM DONG OPS | | | |
| WEATHER INFORMATION (7x) 131,415 MHz | | LIGHTING (3x / 4x / 5x) 131,415 MHz | |
| HELIDECK HEIGHT 137 FT MSL | | MTOW 13 t | |
| | | D-VALUE 23 m | |
| LANDING NET N/A | | HAPI U/S UNTIL FURTHER NOTICE | |
| FINAL APPROACH / INITIAL DEPARTURE DIRECTIONS 045° / 225° VAR 1,3°E (2015) | | | |
| HIGHEST OBSTACLE ON INSTALLATION 168 FT MSL (ANTENNA MAST) | | HIGHEST OBSTACLE IN THE VICINITY 617 FT MSL (WTG) | |
| REFUELLING FACILITY N/A | | GROUND POWER UNIT N/A | |
| CORRIDOR WAYPOINTS | | | |
| SW: N 54° 01,46' E 006° 59,08' | | NE: N 54° 05,23' E 007° 05,53' | |

WINDPARK LAYOUT

