

# RESCUE HOIST AREA GOW03

OSS SIDE IDENTIFICATION  
**GOW03-Z01**

OFFSHORE WINDFARM  
**GODEWIND 03**

FIXED NORMALLY UNATTENDED INSTALLATION  
ØRSTED

OSS CENTRE COORDINATE		
N 54° 02.65'		E 007° 06.50'
LANGEN INFORMATION 128.525 MHz		ØRSTED OPERATIONS 131.905 MHz
WEATHER INFORMATION n/a		LIGHTING FLOODLIGHTS
RHA HEIGHT 147 ft MSL	SIZE Ø 5.0 m	MAX LOAD 2 t
APPROACH / DEPARTURE CORRIDOR 044°/224°		
HIGHEST OBSTACLE ON INSTALLATION 203 ft (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 742 ft MSL (WTG)
MAX D-VALUE FOR OBSTACLE CLEARANCE 14.3 m		




# RESCUE HOIST AREA GOW03

OSS SIDE IDENTIFICATION  
**GOW03-Z01**

OFFSHORE WINDFARM  
**GODEWIND 03**

FIXED NORMALLY UNATTENDED INSTALLATION  
ØRSTED

OSS CENTRE COORDINATE		
N 54° 02.65'		E 007° 06.50'
LANGEN INFORMATION 128.525 MHz		ØRSTED OPERATIONS 131.905 MHz
WEATHER INFORMATION n/a		LIGHTING FLOODLIGHTS
RHA HEIGHT 147 ft MSL	SIZE Ø 5.0 m	MAX LOAD 2 t
APPROACH / DEPARTURE CORRIDOR 044°/224°		
HIGHEST OBSTACLE ON INSTALLATION 203 ft (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 742 ft MSL (WTG)
MAX D-VALUE FOR OBSTACLE CLEARANCE 14.3 m		



# GOW03

## DEPARTURE GO3EE

EXIT POINT GO3 EE


N 54° 04,74'

E 007° 09,96'

### DEPARTURE PROCEDURE

- DEPART ON TRACK 044°
- OBSTACLE-FREE WHEN WITHIN DEPARTURE CORRIDOR
- ABOVE WT HEIGHT WHEN PASSING 742ft
- CORRIDOR DESIGNED TO REACH 200FT ABOVE WT HEIGHT AT EXIT POINT GO3EE (4,5% CLIMB RATE)

### DEPARTURE TOP VIEW



\*200ft above WT

# GOW03

## DEPARTURE GO3EW

EXIT POINT GO3 EW


N 54° 00,57'

E 007° 03,06'

### DEPARTURE PROCEDURE

- DEPART ON TRACK 224°
- OBSTACLE-FREE WHEN WITHIN DEPARTURE CORRIDOR
- ABOVE WT HEIGHT WHEN PASSING 742ft
- CORRIDOR DESIGNED TO REACH 200FT ABOVE WT HEIGHT AT EXIT POINT GO3EW (4,5% CLIMB RATE)

### DEPARTURE TOP VIEW



\*200ft above WT