

HELICOPTER HOIST AREA INSPECTION

CERTIFICATE

HALIADE 150-6MW

OWF MERKUR OFFSHORE

The helicopter hoist areas on stated wind turbine generators and located in mentioned offshore wind farm have been inspected according to legal national regulations (Gemeinsame Grundsätze des Bundes und der Länder über Windenbetriebsflächen auf Windenergieanlagen & BSH Standard Konstruktive Ausführung von Offshore-Windenergieanlagen) and, where applicable, to other national standards for offshore helidecks (CAP 437). The hoist areas have been found suitable for helicopter hoist operations subject to below stated limitations, non-compliances and authorization by the approving authority.

HELICOPTER HOIST AREA INFORMATION

HEIGHT HHA	CENTRE HHA – ROTOR WTG MAX. LOAD CAPACITY
336 ft MSL	10.99 m 5913 kg
	LIMITATIONS
	HHO FROM SUNRISE TO SUNSET ONLY
	MAX. WIND SPEED FOR HHO: 20 m/s
\	\·.
	NON-COMPLIANCES
FOR NON-COMPLIANCES SEE HELICOPTER HOIST AREA MANUAL	
	/ · · · · · · · · · · · · · · · · · · ·
	100
	NEXT DUE
	31.12.2019
	Steffen Bechtel
	(. O. A.
03.11.2018	[[2]] BD3r-gepruiter Sacriverstandiger für [[5:1]
Inspection date	Offshore Flugbetrieb, Hubschrauberlandedecks Inspected by
	BDSF 826020 BDSF 826020