

VEJA MATE

HLD IDENTIFICATION

VMOSS

ICAO IDENTIFIER

EHGL

OSS SIDE IDENTIFICATION

VM OSS

FIXED NORMALLY UNATTENDED INSTALLATION
VEJA MATE OFFSHORE PROJECT GMBH

HLD REFERENCE POINT			
N 54° 19.33'		E 005° 52.92'	
BREMEN INFORMATION 128.525 MHz	AMSTERDAM INFORMATION 119.175 MHz	OCC VM 131.490 MHz	HLO 151.230 MHz
WEATHER INFORMATION 131.755 MHz 7x		LIGHTING & DIMMING 131.755 MHz 3x 100% 4x 30% (10%) 5x 10% (3%)	
HELIDECK HEIGHT 131 ft MSL	D-VALUE 22.20 m		MTOW 13 t
APPROACH / DEPARTURE CORRIDOR 001° / 181° DECK HEADING 091°			
HIGHEST OBSTACLE ON INSTALLATION 39 ft ABOVE HLD (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 589 ft MSL (WTG)	
REFUELLING FACILITY JET-A1 (GRAVITY)	GROUND POWER UNIT YES	LANDING NET N/A	STATUS LIGHT N/A
FIRE FIGHTING FACILITIES			
DIFFS AUTO + MAN + REMOTE ACTIVATION	2x HYDRANT SEMI-RIGID HOSES (25 m)	2x 10 kg CO ₂	2x 25 kg DRY POWDER



VEJA MATE

HLD IDENTIFICATION
VMOSS

ICAO IDENTIFIER
EHGL

OSS SIDE IDENTIFICATION
VM OSS

FIXED NORMALLY UNATTENDED INSTALLATION
VEJA MATE OFFSHORE PROJECT GMBH

HLD REFERENCE POINT			
N 54° 19.33'		E 005° 52.92'	
BREMEN INFORMATION 128.525 MHz	AMSTERDAM INFORMATION 119.175 MHz	OCC VM 131.490 MHz	HLO 151.230 MHz
WEATHER INFORMATION 131.755 MHz 7x		LIGHTING & DIMMING 131.755 MHz 3x 100% 4x 30% (10%) 5x 10% (3%)	
HELIDECK HEIGHT 131 ft MSL	D-VALUE 22.20 m	MTOW 13 t	
APPROACH / DEPARTURE CORRIDOR 001° / 181° DECK HEADING 091°			
HIGHEST OBSTACLE ON INSTALLATION 39 ft ABOVE HLD (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 589 ft MSL (WTG)	
REFUELLING FACILITY JET-A1 (GRAVITY)	GROUND POWER UNIT YES	LANDING NET N/A	STATUS LIGHT N/A
FIRE FIGHTING FACILITIES			
DIFFS AUTO + MAN + REMOTE ACTIVATION	2x HYDRANT SEMI-RIGID HOSES (25 m)	2x 10 kg CO ₂	2x 25 kg DRY POWDER
NON - COMPLIANCES • NIL		LIMITATIONS • TEMPORARILY VFR DAY ONLY	
REMARKS • CONTACT OCC / HLO PRIOR TO ENTERING OWF AND FOR FURTHER CLEARANCES • BE AWARE OF WTG IN CLOSE PROXIMITY TO HELIDECK • PPR FOR REFUELLING (JET-A1) • VFR NIGHT NOT PERMITTED IN DUTCH AIRSPACE			

VEJA MATE

HLD IDENTIFICATION

VMOSS

ICAO IDENTIFIER


EHGL

OSS SIDE IDENTIFICATION

VM OSS

FIXED NORMALLY UNATTENDED INSTALLATION
VEJA MATE OFFSHORE PROJECT GMBH

HLD REFERENCE POINT			
N 54° 19.33'		E 005° 52.92'	
BREMEN INFORMATION 128.525 MHz	AMSTERDAM INFORMATION 119.175 MHz	OCC VM 131.490 MHz	HLO 151.230 MHz
WEATHER INFORMATION 131.755 MHz 7x		LIGHTING & DIMMING 131.755 MHz 3x 100% 4x 30% (10%) 5x 10% (3%)	
HELIDECK HEIGHT 131 ft MSL	D-VALUE 22.20 m		MTOW 13 t
APPROACH / DEPARTURE CORRIDOR 001° / 181° DECK HEADING 091°			
HIGHEST OBSTACLE ON INSTALLATION 39 ft ABOVE HLD (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 589 ft MSL (WTG)	
REFUELLING FACILITY JET-A1 (GRAVITY)	GROUND POWER UNIT YES	LANDING NET N/A	STATUS LIGHT N/A
FIRE FIGHTING FACILITIES			
DIFFS AUTO + MAN + REMOTE ACTIVATION	2x HYDRANT SEMI-RIGID HOSES (25 m)	2x 10 kg CO ₂	2x 25 kg DRY POWDER



VEJA MATE

HLD IDENTIFICATION

VMOSS

ICAO IDENTIFIER

EHGL


OSS SIDE IDENTIFICATION

VM OSS

FIXED NORMALLY UNATTENDED INSTALLATION
VEJA MATE OFFSHORE PROJECT GMBH

HLD REFERENCE POINT			
N 54° 19.33'		E 005° 52.92'	
BREMEN INFORMATION 128.525 MHz	AMSTERDAM INFORMATION 119.175 MHz	OCC VM 131.490 MHz	HLO 151.230 MHz
WEATHER INFORMATION 131.755 MHz 7x		LIGHTING & DIMMING 131.755 MHz 3x 100% 4x 30% (10%) 5x 10% (3%)	
HELIDECK HEIGHT 131 ft MSL	D-VALUE 22.20 m		MTOW 13 t
APPROACH / DEPARTURE CORRIDOR 001° / 181° DECK HEADING 091°			
HIGHEST OBSTACLE ON INSTALLATION 39 ft ABOVE HLD (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 589 ft MSL (WTG)	
REFUELLING FACILITY JET-A1 (GRAVITY)	GROUND POWER UNIT YES	LANDING NET N/A	STATUS LIGHT N/A
FIRE FIGHTING FACILITIES			
DIFFS AUTO + MAN + REMOTE ACTIVATION	2x HYDRANT SEMI-RIGID HOSES (25 m)	2x 10 kg CO ₂	2x 25 kg DRY POWDER

INSTALLATION PROFILE VIEW (NORTH)



VEJA MATE

HLD IDENTIFICATION
VMOSS


ICAO IDENTIFIER
EHGL

OSS SIDE IDENTIFICATION
VM OSS

FIXED NORMALLY UNATTENDED INSTALLATION
VEJA MATE OFFSHORE PROJECT GMBH

HLD REFERENCE POINT			
N 54° 19.33'		E 005° 52.92'	
BREMEN INFORMATION 128.525 MHz	AMSTERDAM INFORMATION 119.175 MHz	OCC VM 131.490 MHz	HLO 151.230 MHz
WEATHER INFORMATION 131.755 MHz 7x		LIGHTING & DIMMING 131.755 MHz 3x 100% 4x 30% (10%) 5x 10% (3%)	
HELIDECK HEIGHT 131 ft MSL	D-VALUE 22.20 m		MTOW 13 t
APPROACH / DEPARTURE CORRIDOR 001° / 181° DECK HEADING 091°			
HIGHEST OBSTACLE ON INSTALLATION 39 ft ABOVE HLD (ANTENNA MAST)		HIGHEST OBSTACLE IN THE VICINITY 589 ft MSL (WTG)	
REFUELLING FACILITY JET-A1 (GRAVITY)	GROUND POWER UNIT YES	LANDING NET N/A	STATUS LIGHT N/A
FIRE FIGHTING FACILITIES			
DIFFS AUTO + MAN + REMOTE ACTIVATION	2x HYDRANT SEMI-RIGID HOSES (25 m)	2x 10 kg CO ₂	2x 25 kg DRY POWDER

INSTALLATION TOP VIEW




**VEJA MATE
DEPARTURE VMO ES**

HLD IDENTIFICATION
VMOSS

ICAO IDENTIFIER
EHGL

OSS SIDE IDENTIFICATION
VM OSS



VEJA MATE DEPARTURE VMO EN

HLD IDENTIFICATION
VMOSS

ICAO IDENTIFIER
EHGL

OSS SIDE IDENTIFICATION
VM OSS

