

# SEAFOX 4

HLD IDENTIFICATION  
**SEAFOX 4**

VESSEL SIDE IDENTIFICATION  
**SEAFOX 4**

IMO 8756148  
SEAFOX B.V.

<b>BRIDGE / HLO</b>			
<b>CONTACT FREQUENCY TBD WITH PROJECT</b>			
<b>WEATHER INFORMATION ON REQUEST</b>		<b>LIGHTING &amp; DIMMING ON REQUEST</b>	
<b>HELIDECK HEIGHT VARIABLE</b>	<b>D-VALUE 22,20 m</b>	<b>MTOW 9,3 t</b>	
<b>HELIDECK POSITION ON VESSEL BOW</b>			
<b>HIGHEST OBSTACLE ON VESSEL CRANE (MAX. 300ft ABOVE HLD))</b>			
<b>REFUELLING FACILITY YES</b>	<b>GROUND POWER UNIT YES</b>	<b>LANDING NET NO</b>	
<b>TD/PM LIGHTING YES</b>	<b>HELIPORT IDENT LIGHTING YES</b>	<b>STATUS LIGHT YES</b>	
<b>FIRE FIGHTING FACILITIES</b>			
<b>3 MONITORS MANUAL ACTIVATION</b>	<b>3 HYDRANTS 3x FLEXIBLE HOSES</b>	<b>CO<sub>2</sub> 1x 20 kg</b>	<b>DRY POWDER 2x 50 kg</b>



# SEAFOX 4

HLD IDENTIFICATION

**SEAFOX 4**

VESSEL SIDE IDENTIFICATION

**SEAFOX 4**

IMO 8756148

SEAFOX B.V.

**BRIDGE / HLO****CONTACT FREQUENCY TBD WITH PROJECT****WEATHER INFORMATION  
ON REQUEST****LIGHTING & DIMMING  
ON REQUEST****HELIDECK HEIGHT  
VARIABLE****D-VALUE  
22,20 m****MTOW  
9,3 t****HELIDECK POSITION ON VESSEL  
BOW****HIGHEST OBSTACLE ON VESSEL  
CRANE (MAX. 300ft ABOVE HLD))****REFUELLING FACILITY  
YES****GROUND POWER UNIT  
YES****LANDING NET  
NO****TD/PM LIGHTING  
YES****HELIPORT IDENT LIGHTING  
YES****STATUS LIGHT  
YES****FIRE FIGHTING FACILITIES****3 MONITORS  
MANUAL ACTIVATION****3 HYDRANTS  
3x FLEXIBLE HOSES****CO<sub>2</sub>  
1x 20 kg****DRY POWDER  
2x 50 kg****NON – COMPLIANCES**

- **5:1 OBSTACLE-FREE SECTOR INFRINGED BY FRONT ACCESS**

**LIMITATIONS**

- **CRANE BOOM MUST BE OUT OF REST POSITION FOR ALL HELICOPTER OPERATIONS TO ENSURE LOS CLEARANCE**

**REMARKS**

- **CONTACT BRIDGE / HLO FOR CLEARANCES, REQUESTS AND INFORMATION**
- **FLIGHT OPERATIONS ONLY WITH MAIN CRANE RESTING CLEAR OF OBSTACLE PROTECTED SURFACES**
- **FLIGHT OPERATIONS PROHIBITED WHEN VESSEL UNDERWAY**
- **HELIDECK ORIENTATION TO BE TAKEN FROM HLD STATUS REPORT**
- **HELIDECK HEIGHT TO BE CHECKED FOR EACH LOCATION**
- **OVERFLIGHT OF VESSEL PROHIBITED**

# SEAFOX 4

HLD IDENTIFICATION  
**SEAFOX 4**

VESSEL SIDE IDENTIFICATION  
**SEAFOX 4**


IMO 8756148  
SEAFOX B.V.

**BRIDGE / HLO**

**CONTACT FREQUENCY TBD WITH PROJECT**

<b>WEATHER INFORMATION ON REQUEST</b>		<b>LIGHTING &amp; DIMMING ON REQUEST</b>	
<b>HELIDECK HEIGHT VARIABLE</b>	<b>D-VALUE 22,20 m</b>	<b>MTOW 9,3 t</b>	
<b>HELIDECK POSITION ON VESSEL BOW</b>			
<b>HIGHEST OBSTACLE ON VESSEL CRANE (MAX. 300ft ABOVE HLD))</b>			
<b>REFUELLING FACILITY YES</b>	<b>GROUND POWER UNIT YES</b>	<b>LANDING NET NO</b>	
<b>TD/PM LIGHTING YES</b>	<b>HELIPORT IDENT LIGHTING YES</b>	<b>STATUS LIGHT YES</b>	
<b>FIRE FIGHTING FACILITIES</b>			
<b>3 MONITORS MANUAL ACTIVATION</b>	<b>3 HYDRANTS 3x FLEXIBLE HOSES</b>	<b>CO<sub>2</sub> 1x 20 kg</b>	<b>DRY POWDER 2x 50 kg</b>

**VESSEL PROFILE VIEW (STARBOARD)**



# SEAFOX 4

HLD IDENTIFICATION

**SEAFOX 4**

VESSEL SIDE IDENTIFICATION

**SEAFOX 4**

IMO 8756148

SEAFOX B.V.

**BRIDGE / HLO**

**CONTACT FREQUENCY TBD WITH PROJECT**

**WEATHER INFORMATION  
ON REQUEST**

**LIGHTING & DIMMING  
ON REQUEST**

**HELIDECK HEIGHT  
VARIABLE**

**D-VALUE  
22,20 m**

**MTOW  
9,3 t**

**HELIDECK POSITION ON VESSEL  
BOW**

**HIGHEST OBSTACLE ON VESSEL  
CRANE (MAX. 300ft ABOVE HLD))**

**REFUELLING FACILITY  
YES**

**GROUND POWER UNIT  
YES**

**LANDING NET  
NO**

**TD/PM LIGHTING  
YES**

**HELIPORT IDENT LIGHTING  
YES**

**STATUS LIGHT  
YES**

**FIRE FIGHTING FACILITIES**

**3 MONITORS  
MANUAL ACTIVATION**

**3 HYDRANTS  
3x FLEXIBLE HOSES**

**CO<sub>2</sub>  
1x 20 kg**

**DRY POWDER  
2x 50 kg**

**HELIDECK TOP VIEW**

