

SCHARHÖRN

HLD IDENTIFICATION

DBPO

VESSEL SIDE IDENTIFICATION

SCHARHÖRN

IMO 9906489

POLLUTION CONTROL VESSEL

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH VESSEL

**WEATHER INFORMATION
ON REQUEST**
**LIGHTING & DIMMING
ON REQUEST**
**HELIDECK HEIGHT
VARIABLE**
**D-VALUE
19,56 m**
**MTOW
11,0 t**
**HELIDECK POSITION ON VESSEL
BOW**
**HIGHEST OBSTACLE ON VESSEL
CRANE (MAX. 112 ft ABOVE HLD))**
**REFUELLING FACILITY
NO**
**GROUND POWER UNIT
YES**
**LANDING NET
NO**
**TD/PM LIGHTING
NO**
**HELIPORT IDENT LIGHTING
NO**
**STATUS LIGHT
YES**
FIRE FIGHTING FACILITIES
**2 MONITORS
MANUAL ACTIVATION**
**2 HYDRANTS
2x SEMI FLEXIBLE HOSES**
**CO₂
2x 10 kg**
**DRY POWDER
4x 12 kg**


SCHARHÖRN

HLD IDENTIFICATION

DBPO

VESSEL SIDE IDENTIFICATION

SCHARHÖRN

IMO 9906489

POLLUTION CONTROL VESSEL

BRIDGE / HLO			
CONTACT FREQUENCY TBD WITH VESSEL			
WEATHER INFORMATION ON REQUEST		LIGHTING & DIMMING ON REQUEST	
HELIDECK HEIGHT VARIABLE	D-VALUE 19,56 m	MTOW 11,0 t	
HELIDECK POSITION ON VESSEL BOW			
HIGHEST OBSTACLE ON VESSEL CRANE (MAX. 112 ft ABOVE HLD))			
REFUELLING FACILITY NO	GROUND POWER UNIT YES	LANDING NET NO	
TD/PM LIGHTING NO	HELIPORT IDENT LIGHTING NO	STATUS LIGHT YES	
FIRE FIGHTING FACILITIES			
2 MONITORS MANUAL ACTIVATION	2 HYDRANTS 2x SEMI FLEXIBLE HOSES	CO₂ 2x 10 kg	DRY POWDER 4x 12 kg
NON – COMPLIANCES		LIMITATIONS	
<ul style="list-style-type: none"> NONE 		<ul style="list-style-type: none"> NONE 	
REMARKS			
<ul style="list-style-type: none"> CONTACT BRIDGE FOR CLEARANCES, REQUESTS AND INFORMATION HELIDECK ORIENTATION TO BE TAKEN FROM HLD STATUS REPORT OVERFLIGHT OF VESSEL PROHIBITED 			

SCHARHÖRN

HLD IDENTIFICATION
DBPO

VESSEL SIDE IDENTIFICATION
SCHARHÖRN

IMO 9906489

POLLUTION CONTROL VESSEL

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH VESSEL

WEATHER INFORMATION
ON REQUEST

LIGHTING & DIMMING
ON REQUEST

HELIDECK HEIGHT
VARIABLE

D-VALUE
19,56 m

MTOW
11,0 t

HELIDECK POSITION ON VESSEL
BOW

HIGHEST OBSTACLE ON VESSEL
CRANE (MAX. 112 ft ABOVE HLD))

REFUELLING FACILITY
NO

GROUND POWER UNIT
YES

LANDING NET
NO

TD/PM LIGHTING
NO

HELIPORT IDENT LIGHTING
NO

STATUS LIGHT
YES

FIRE FIGHTING FACILITIES


2 MONITORS
MANUAL ACTIVATION

2 HYDRANTS
2x SEMI FLEXIBLE HOSES

CO₂
2x 10 kg

DRY POWDER
4x 12 kg

VESSEL PROFILE VIEW (STARBOARD)



SCHARHÖRN

HLD IDENTIFICATION

DBPO

VESSEL SIDE IDENTIFICATION

SCHARHÖRN

IMO 9906489

POLLUTION CONTROL VESSEL

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH VESSEL

**WEATHER INFORMATION
ON REQUEST**
**LIGHTING & DIMMING
ON REQUEST**
**HELIDECK HEIGHT
VARIABLE**
**D-VALUE
19,56 m**
**MTOW
11,0 t**
**HELIDECK POSITION ON VESSEL
BOW**
**HIGHEST OBSTACLE ON VESSEL
CRANE (MAX. 112 ft ABOVE HLD))**
**REFUELLING FACILITY
NO**
**GROUND POWER UNIT
YES**
**LANDING NET
NO**
**TD/PM LIGHTING
NO**
**HELIPORT IDENT LIGHTING
NO**
**STATUS LIGHT
YES**
FIRE FIGHTING FACILITIES
**2 MONITORS
MANUAL ACTIVATION**
**2 HYDRANTS
2x SEMI FLEXIBLE HOSES**
**CO₂
2x 10 kg**
**DRY POWDER
4x 12 kg**
HELIDECK TOP VIEW
