

BIBBY WAVEMASTER 1

HLD IDENTIFICATION
BIBBY WAVEMASTER 1

VESSEL SIDE IDENTIFICATION
BIBBY WAVEMASTER 1

MULTI-PURPOSE SUPPORT VESSEL
BIBBY MARINE

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH PROJECT

WEATHER INFORMATION ON REQUEST		LIGHTING & DIMMING ON REQUEST	
HELIDECK HEIGHT 30 ft	D-VALUE 20.88 m	MTOW 12.8 t	
HELIDECK POSITION ON VESSEL BOW			
HIGHEST OBSTACLE ON VESSEL ANTENNA MAST 70 ft (ABOVE HLD)			
REFUELLING FACILITY N/A	GROUND POWER UNIT N/A	LANDING NET N/A	
TD/PM LIGHTING YES	HELIPORT IDENTIFICATION LIGHTING YES	STATUS LIGHT N/A	
FIRE FIGHTING FACILITIES			
2 MONITOR MANUAL ACTIVATION	2 HYDRANTS 2x SEMI-RIGID & 2x FLEXIBLE HOSES	CO₂ 1x 20 kg	DRY POWDER 2 x 25 kg



BIBBY WAVEMASTER 1

HLD IDENTIFICATION
BIBBY WAVEMASTER 1

VESSEL SIDE IDENTIFICATION
BIBBY WAVEMASTER 1

MULTI-PURPOSE SUPPORT VESSEL
BIBBY MARINE

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH PROJECT

WEATHER INFORMATION ON REQUEST		LIGHTING & DIMMING ON REQUEST	
HELIDECK HEIGHT 30 ft	D-VALUE 20.88 m	MTOW 12.8 t	
HELIDECK POSITION ON VESSEL BOW			
HIGHEST OBSTACLE ON VESSEL ANTENNA MAST 70 ft (ABOVE HLD)			
REFUELLING FACILITY N/A	GROUND POWER UNIT N/A	LANDING NET N/A	
TD/PM LIGHTING YES	HELIPORT IDENTIFICATION LIGHTING YES	STATUS LIGHT N/A	
FIRE FIGHTING FACILITIES			
2 MONITOR MANUAL ACTIVATION	2 HYDRANTS 2x SEMI-RIGID & 2x FLEXIBLE HOSES	CO ₂ 1x 20 kg	DRY POWDER 2 x 25 kg
NON - COMPLIANCES <ul style="list-style-type: none"> VARIOUS OBJECTS ON FATO EXCEED HEIGHT LIMITATION (E.G. FLOOD LIGHTS, PERIMETER LIGHTS) VARIOUS OBJECTS ON VESSEL LACK OBSTACLE MARKING (E.G. ANTENNA MAST, CRANE) 		LIMITATIONS <ul style="list-style-type: none"> NIL 	

REMARKS

- CONTACT HLO FOR CLEARANCES, REQUESTS AND INFORMATION
- FLIGHT OPERATIONS ONLY WITH CRANE RESTING CLEAR OF OBSTACLE PROTECTED SURFACES

BIBBY WAVEMASTER 1

HLD IDENTIFICATION
BIBBY WAVEMASTER 1

VESSEL SIDE IDENTIFICATION
BIBBY WAVEMASTER 1


MULTI-PURPOSE SUPPORT VESSEL
BIBBY MARINE

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH PROJECT

WEATHER INFORMATION ON REQUEST		LIGHTING & DIMMING ON REQUEST	
HELIDECK HEIGHT 30 ft	D-VALUE 20.88 m	MTOW 12.8 t	
HELIDECK POSITION ON VESSEL BOW			
HIGHEST OBSTACLE ON VESSEL ANTENNA MAST 70 ft (ABOVE HLD)			
REFUELLING FACILITY N/A	GROUND POWER UNIT N/A	LANDING NET N/A	
TD/PM LIGHTING YES	HELIPORT IDENTIFICATION LIGHTING YES	STATUS LIGHT N/A	
FIRE FIGHTING FACILITIES			
2 MONITOR MANUAL ACTIVATION	2 HYDRANTS 2x SEMI-RIGID & 2x FLEXIBLE HOSES	CO₂ 1x 20 kg	DRY POWDER 2 x 25 kg

VESSEL PROFILE VIEW (STARBOARD)



BIBBY WAVEMASTER 1

HLD IDENTIFICATION
BIBBY WAVEMASTER 1

VESSEL SIDE IDENTIFICATION
BIBBY WAVEMASTER 1

MULTI-PURPOSE SUPPORT VESSEL
BIBBY MARINE

BRIDGE / HLO

CONTACT FREQUENCY TBD WITH PROJECT

WEATHER INFORMATION ON REQUEST		LIGHTING & DIMMING ON REQUEST	
HELIDECK HEIGHT 30 ft	D-VALUE 20.88 m	MTOW 12.8 t	
HELIDECK POSITION ON VESSEL BOW			
HIGHEST OBSTACLE ON VESSEL ANTENNA MAST 70 ft (ABOVE HLD)			
REFUELLING FACILITY N/A	GROUND POWER UNIT N/A	LANDING NET N/A	
TD/PM LIGHTING YES	HELIPORT IDENTIFICATION LIGHTING YES	STATUS LIGHT N/A	
FIRE FIGHTING FACILITIES			
2 MONITOR MANUAL ACTIVATION	2 HYDRANTS 2x SEMI-RIGID & 2x FLEXIBLE HOSES	CO₂ 1x 20 kg	DRY POWDER 2 x 25 kg

VESSEL TOP VIEW

